

A Century of Excellence.

100 years
1923 - 2023



LOEWE.

*A Century
of Excellence.*

LOEWE.



Loewe bild i, Loewe klang bar3 mr, Loewe klang mr3, Loewe klang mr1

Philosophy

Versatile innovations.
Unique passion.

We love to enhance our customers' everyday experiences with unique high-tech appliances and to give discerning connoisseurs pleasure with our products every day.

This is why tireless commitment and perfect craftsmanship flow into the creation of our new products. This applies to both the company and the Loewe brand. Because only in this way can we create the highest quality, outstanding design and perfect product experiences with every innovation, time and time again.

Vision & Values

The epitome of luxury.

Loewe is dedicated to give every product a meaning. A story. A purpose. In dedicated precision work, we want to anchor Loewe as the epitome of luxurious technical products par excellence.

The perfect interplay of technical masterpieces and outstanding design icons is awarded on a regular basis by press and design awards.

100 years
1923 - 2023

100 years of history

Tradition at Loewe. Always reinventing itself.



For a century, Loewe has stood for inventive spirit and luxury home cinema experiences. From its founding in 1923 to the invention of the television in 1931, Loewe has developed into a traditional company with worldwide operations and is now active in 45 countries with its high-quality, elegant TV and audio products.

From the inventor of television
to a global, traditional company.

Loewe's history began in 1923 when Siegmund and David Ludwig Loewe founded the company in Berlin. At the time, they probably had no idea that their groundbreaking vision would have a decisive influence on the history of entertainment: Their invention of the first television set marked the beginning of a new era in the entire entertainment culture.



The traditional manufactory and the high-tech production lines in Kronach in Upper Franconia continue to be the heart of the Loewe brand. This is how sustainable high-tech products par excellence are created.



Loewe bild i, Loewe klang bar5 mr, Loewe klang sub5

Our way to sustainability.

We are committed to producing beautifully designed, highly functional, modern and timeless objects. By selecting the finest, highest-quality materials, Loewe creates sustainable products with careful precision work that impress with energy efficiency, software updates and years of reparability, thus underscoring our sustainability concept.



The Loewe service promise.

For Loewe, service does not end with the purchase: customers can rely on comprehensive service solutions at all times. Our detailed online based FAQ will help you with short questions anytime. Since sustainability is a big part of Loewe's DNA, Loewe's own technical repair shop is able to repair products up to ten years of age - depending on the model and the fault of the unit. A deliberately generous stock of spare parts makes it possible. In addition regular software updates keep Loewe products state-of-the-art technology.

We will be
happy to help you.

helpline@loewe.de

Loewe. Made in Germany.

Kronach, Germany - a place where extraordinary innovative power, impressive tradition and perfect craftsmanship come together to produce technically sophisticated, unique masterpieces. We create and develop every Loewe product in Germany and almost our entire television portfolio is „Made in Germany“. At the same time, Loewe has remained true to its handcrafted production method in the manufactory at its headquarters in Kronach.

Each set is manufactured with attention to detail and is individually calibrated for naturally brilliant colours through precise fine-tuning and tested under the strictest quality criteria. Ultimate cinema feeling, excellent detail, vivid movements, outstanding colour fidelity and impressive sound quality are only a touch of a button away.

As vivid as real life.
Excellent OLED colour reproduction.

Thrillers, football highlights or nature documentaries with excellent details, velvety smooth motions and brilliant colours fidelity from the first moment you switch on: The 4K OLED display is optimised for every Loewe iconic, bild s, bild v and bild i to ensure everything appears absolutely authentic and true to life.

The pre-calibrated 4K OLED displays with their rich, deepest OLED black based on self-illuminating pixels guarantee breath-taking contrasts and enormous picture depths: experience your movies and series as authentically and realistically as never before.

Loewe iconic	10
Loewe bild s	12
Loewe bild v	14
Loewe bild i	16
Loewe bild c	18



Loewe **bild v**

Loewe **iconic**

Precious beauty, pure elegance.

Perfection of form – Made in Germany.

Everything but ordinary.
Made of stone.



State-of-the-art TV technology.
Picture quality Made in Germany.

An impressive combination of television and front-firing soundbar in a setup solution that, in addition to excellent TV and audio technology Made in Germany, impresses above all with its unique design: with its sculptural, coherent design language, the Loewe iconic sets strong accents and new standards for luxury-class home entertainment. The setup solution of the Loewe iconic is handcrafted from the material Syno-Stone. Syno-Stone is a solid mineral material, which is robust and durable and yet feels as heavy and cool as stone. Available in the colours Graphite Grey and Pure White, the smooth, robust and solid Syno-Stone is perfect for supporting the TV set and soundbar with ease.

Exclusive colour variant.
For the perfect living ambience.

At the same time, the Loewe iconic impresses with its sweeping and elegant design language. Discover an absolutely trend-setting design classic from the Loewe manufactory at its headquarters in Kronach.

The timeless design icon is available in the SL5 and SL7 versions and with high-quality OLED displays in 55" and 65" sizes. The powerful sound bar with integrated subwoofers is attractively and discreetly integrated behind a high-quality fabric panel. Thanks to precisely calibrated colours and tones ex works, you enjoy artfully arranged TV and audio quality and thus an ultra-realistic, impressive picture and sound experience.

Loewe **bild s**

The ultimate star. For the big show.

As vivid as real life: excellent OLED colour reproduction.

Pure magic.
Integrated soundbar.

Sounds right and sounds great.
Mimi Sound Personalization™.

A truly impressive star appeal.
Luxurious design.

Don't miss a anything.
dr+, two-channel system and dual tuner.

Maximum of privacy and data security.
Easy-TV mode.

Extremely flexible.
Motorised set-up solution.



Fiction becomes reality:
Thanks to Dolby Vision™.

With its impressive 196 cm screen, the Loewe bild s.77 brings the ultimate 4K OLED TV into your living room. The breathtaking design of the Loewe giant with a 77" display completely reinterprets the OLED flat screen - a born star that makes a grand entrance into any upscale interior.

Switch your TV on and enjoy:
pre-set cinema mode.

Manually manufactured in Germany and precisely calibrated for perfect colour reproduction, this XXL Loewe TV offers an excellent, unrivalled picture and sound quality. Ultra-HD resolution, state-of-the-art HDR technology (HDR10, HLG, Dolby Vision), two-channel system, integrated dr+ hard disc, dual tuner for all reception paths, the integrated soundbar and a 4K streaming box from Apple ensure pure luxury home cinema. Experience the big show with the Loewe bild s.77 and enjoy films, series or TV programmes in a new entertainment dimension.



Loewe **bild v**

Timeless classic for highest demands.



Simply better.
Pre-calibrated cinema mode.

Record and watch later.
dr+, dual tuner and two-channel system.

Stereo sound with power.
Impressive audio.

Excellent sound experience.
With Mimi Sound Personalization™.

Timeless elegance.
Classic Loewe design.

Your data, your privacy.
Even more secure with Easy-TV mode.

Natural, realistic, impressive.
Thanks to pre-calibrated OLED display.



Within your reach.
Due Dolby Vision™.

Precision work Made in Germany: manufactured on a hightech production line at our Kronach headquarters, the ultrahigh-resolution 4K OLED Loewe bild v is already calibrated at the factory, so you enjoy excellent picture quality from the moment you switch it on. This timeless classic impresses with a sophisticated picture and sound experience thanks to the latest HDR technology (HDR10, HLG, Dolby Vision), integrated stereo soundbar and 48", 55" or 65" screen. Absolutely convenient

and quick to operate, the Loewe bild v scores with its extensive technology equipment - including a dual tuner for all reception modes and the two-channel system.

Thanks to the highest quality of workmanship and Loewe's typical minimalist design, experience a thrilling home cinema that fits perfectly into any upscale living environment.



Loewe **bild i**

Modern all-rounder for smart entertainment.

Extraordinary. Due to pre-calibrated picture quality.

Don't miss anything: integrated dr+ hard disk.

Always the best sound: flexible sound solutions.

Modern home cinema: stylish 360° design.

Harmonious and unique design.



The world of streaming. Discover natively with Loewe os7.

Ready for Smart TV with an ultra-high resolution 4K OLED display with 48", 55", 65" or newly available 77" screen: the Loewe bild i is our modern all-rounder for the best entertainment via the Internet. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment program can be conveniently controlled via the Smart TV platform or by voice command.

Hand-built in Germany and equipped with innovative HDR technology (HDR10, HLG, Dolby Vision™), a voluminous, flexible sound system and integrated dr+ hard drive, the Loewe bild i impresses with an unmistakable symbiosis of tradition and modernity combined with the highest quality.

True to life. With Dolby Vision™.

The Loewe multi-talent presents itself as a stylish, minimalist design statement and at the same time offers a magical picture and sound experience.

The Loewe bild i is optionally available together with the powerful Loewe soundbar klang bar i, which impresses with powerful front-firing stereo sound from eight integrated drivers generating 80 watts of total music power. With this high-quality sound bar, you benefit from clear dialogues and a pleasant listening experience even at low volumes. Its compact build matches the design of the Loewe bild i perfectly - enhancing every living space.



Loewe **bild c**

Compact without compromises. The Loewe smart TV.

Fiction becomes reality thanks to Dolby Vision™. (43" only)

Highest flexibility: versatile options for connection.

Powerful entertainment: balanced 3D sound.

Compact, elegant design: perfect for smaller rooms.



Boundless entertainment:
Loewe os7 smart TV platform.



Authentic colour experience: perfected Edge LED panel.

Maximum functionality in a compact housing: thanks to versatile, technically perfected features, the Loewe bild c presents itself as a space-saving smart TV. The 43" Edge LED panel, the Smart TV platform, the 4K UHD resolution and the HDR picture processing with Dolby Vision™, and much more, ensure first-class picture quality.

Experience smart TV of the most convenient kind in the blink of an eye. In seconds, you can use the Loewe bild c to access streaming services such as Netflix, Amazon-Prime or Disney+, YouTube or even media libraries directly.

The integrated sound bar with front-firing speakers with 60 watt total music power carries the sound optimally into any room and impresses with excellent speech intelligibility. With its discreet size and minimalist design, this compact TV model blends seamlessly into any upscale interior and fits perfectly into smaller rooms such as bedrooms or kitchens.



Loewe **plus**

Set-up solutions for every living space.



Perfectly positioned.

The Loewe set-up solutions adapt to any interiors, so each TV can be perfectly integrated into different living environments. Whether wall mounts, table or floor solutions - with our set-up options, everyone will find the perfectly individual solution.

Which set-up solution matches with which Loewe television can be taken from the data sheets. A glimpse of Loewe's beautiful set-up solutions can be found here:



Loewe floor stand flex



Loewe floor2ceiling stand



Loewe floor stand motor s.77



Loewe floor stand motor v



Loewe wall mount slim 432



Loewe wall mount slim 221



Loewe wall mount universal



Innovative inhouse design.


Design is firmly anchored in the Loewe DNA. Timeless, highly functional and aesthetically minimalist are the attributes of the Loewe design philosophy that underlie the work of our experienced industrial designers in our design centre.

Excellent design is what drives us. For us, design is more than just a part of our corporate strategy. Loewe design is our pride and joy. This is why we receive several prestigious design awards such as the Red Dot Design Award or the iF Design Award from renowned experts every year.

Thought out down to the smallest detail and made for absolute durability, new design icons are continuously created in Kronach. Classic design features such as the Loewe eye or the Loewe flag are merged into innovative, creative interpretations which provide magical moments in the everyday lives of our technology- and design-savvy customers..



reddot winner 2023



Loewe **klang mr3**



Loewe **bild i.77**





Audio enjoyment. Engineered in Germany.

The unforgettable 360° entertainment experience is rounded off by Loewe audio products. Engineered in Germany, the audio products are developed, tested and continuously optimised for a natural sound sensation by in-house technical specialists. This is how the sound professionals from Loewe regularly fascinate experts and sound enthusiasts.

Whether it's voluminous 360-degree soundbars, powerful TV subwoofers, multi-room speakers or smart radios: every single audio product goes through a meticulous development process in which every aspect is put through its paces. Whether it's the aesthetic fabric cover specially developed for speakers, unique wireless connection technologies or designs that save up to 50 percent of space - every Loewe audio product is a master of its trade.

For your home cinema.

Create your own personal home cinema with Loewe TV and audio products: combine your favourite soundbar, multi-room speaker and subwoofer with your TV and create a sound stage in your home that is second to none. Enjoy immersive 360-degree sound as if you were in the middle of the action - or listen to your favourite music across multiple rooms with our convenient Multiroom solutions.

Loewe klang bar5 mr & klang sub5	28
Loewe klang bar3 mr	30
Loewe home.cinema set	32
Loewe klang sub1	34
Loewe klang mr	36
Loewe klang s	48
Loewe radio.frequency	40

Loewe **klang bar5 mr & klang sub5**

Realistic surround sound of the third dimension.

Don't miss a word.
Superior speech quality.

The pure joy of sound.
Vibration-free subwoofer.

Versatile.
Streaming & multiroom setup.

Expandable without limits.
HDMI & Auto Remote Control Sync.

Stylish living ambience.
Elegant and compact design.

Perfect to combine.
Ideal with Loewe klang mr.



Authentic 3D audio experience.
Dolby Atmos.

The ultimate multiroom sound system for your home is guaranteed by the Loewe soundbar klang bar5 mr with 440 watt of total music power with the klang sub5 subwoofer with 360 watt of total music power and extension options of multiple wireless speakers. This true Loewe all-rounder offers premium cinema sound as well as versatile music streaming with just one device, while the compact, space-saving design blends seamlessly into any room.

The 5.1.2 Dolby Atmos and DTS:X technology ensure a fascinatingly realistic 3D sound experience as in the cinema.

Powerful entertainment.
Captivating sound.

Equipped with DTS Play-Fi, Google Chromecast and Apple AirPlay 2, the soundbar and subwoofer are instantly pairable with other devices, which makes it easy to stream music from any source. This as well as the elegant, timeless Loewe look elevate the set to an absolute must-have for music and film enthusiasts. Two up firing plus two side firing speakers guarantee realistic 3D surround sound by reflections from the wall and ceiling. The two left and right center speakers, the harmonic tuned subwoofer with two 6-inch active speakers, four passive radiators and 800 watts of total music power provide additional power and put you in the middle of action.



Loewe **klang bar3 mr**

Powerful sound giant.

Upgrade to a 5.1 system.
Wireless with three centre speakers.

Classic sound enjoyment.
AVR connection function.

Echo-free 3D sound experience.
Best WDAL 2.0 technology.

Audio enjoyment everywhere.
Thanks to multi-room functionality.



Powerful. 3.1 System Engineered in Germany.

The all-rounder among the soundbars: The powerful 3.1 soundbar Loewe klang bar3 mr shines with an all-round package for almost every area of application. On its own, the device shines with 360 watts of total music power as well as an excellent 3D sound experience thanks to Dolby Atmos. Enjoy immersive, echo and delay-free 360-degree sound with first-class speech intelligibility and voluminous cinema sound, thanks to a forward-facing left, right and centre speaker supported by two integrated subwoofers.

German engineering enables the klang bar3 mr to connect additional front and rear speakers via wireless and latency-free WDAL 2.0 technology (Loewe Wireless Digital Audiolink 2.0). Adding front speakers, the klang bar3 mr then switches the left and right speakers to centre speakers, enabling even better speech intelligibility. Thanks to the AVR connections there is no need for an additional, expensive adapter if older Loewe and thirdbrand active speakers or active amplifiers, which require a cable connection, shall be integrated into the sound system. Do you prefer audio enjoyment in all your rooms? That is no problem with the Loewe klang bar3 mr either. Thanks to the Multiroom function the device couples wirelessly with the Loewe klang mr across different rooms.



Loewe **home.cinema set**

The ultimate home cinema.

Authentic 3D audio experience.
Dolby Atmos Soundbar.

Pure sound experience.
Vibrationless subwoofer.

Versatile use.
Streaming & Multiroom Setup.

Powerful, room-filling
sound ambience.



Complete home cinema package.
Set it up, switch it on and enjoy.

The ultimate home cinema sound system for your home - guaranteed by the Loewe Soundbar in a set with subwoofer and the four wireless speakers. The Loewe home.cinema set offers first-class cinema sound and versatile music streaming in one. At the same time, the 5.1.2 Dolby Atmos and DTS:X technology inspire with immersive 3D sound experience with surround speakers - just like in the cinema. This and the elegant, timeless

Loewe look make the Loewe home cinema set, consisting of Loewe klang bar5 mr & Loewe Subwoofer klang sub5 and four wireless active speakers for multi-channel surround sound, an absolute must-have for music and movie enthusiasts.

Perfect audio upgrade.
Strong without vibrations.
The German art of engineering.



Loewe **klang sub1**

Compact powerhouse. The first subwoofer with wireless TV connection.

Maximum compatibility.
For almost all TVs.

Wireless sound enjoyment.
Latency-free Bluetooth pairing.

Instant audio enjoyment.
Simplest plug-and-play.

Dynamic and powerful.
Upgrade to a 2.1 system.

Discover a 2.1 audio system with full bass due to 160 watt of total music power for a more dynamic sound. The unique feature of latency-free Bluetooth connection allows you to pair the compact subwoofer with your TV. The result is a perfectly balanced sound experience for maximum listening pleasure without sound delay, annoying buzzing and disturbing wires between the subwoofer and TV.

Due to the simplest plug-and-play installation, the Loewe klang sub1 is immediately ready for use with any Loewe television from the SL3 series onwards – for the ultimate in audio enjoyment. Small size, big performance: thanks to the innovative audio technology inside, the Loewe klang sub1 is only half the size of devices with a conventional subwoofer design. This means that this space-saving powerhouse fits perfectly into smaller living rooms without any kind of vibration. By the way, if you own a non-Loewe TV with a regulated audio output, it is possible to connect the Loewe klang sub1 to it.



Loewe **klang mr**

Pure wireless audio enjoyment in all rooms.

Unlimited music enjoyment. HD sound & access to streaming services.

Save and play your favorites with a simple tap on the glass touch panel.

Simple voice control. With Smart Home.

Wireless multichannel connectivity. WDAL 2.0.

Room-filling sound due to integrated subwoofer (klang mr3 / klang mr5 only)



Fascinating home cinema.
Loewe sound system connectivity.

Multiple music streaming in any room. With DTS Play-Fi for easy music streaming.

Enjoy the total audio experience – anytime, in any room and always with breathtaking sound. The Loewe klang mr1, klang mr3 and klang mr5 multiroom speakers stream in high resolution with 30, 150, and 180 watts of total music power. Musical pleasure wherever you want it.

Whether music, podcasts, audio books from streaming services, Internet radio or your own playlists, let yourself be inspired by wireless playback with one or more speakers connected via your network and Bluetooth and excellent sound quality. With your new multiroom system, you can experience outstanding sound ambience in every corner of your home thanks to the satisfyingly simple, harmonious interaction of several speakers. They are also the perfect complement for the Loewe klang bar5 mr. The high-quality design of the Loewe klang mr multiroom speakers is thereby made for a sophisticated living ambience.



Loewe **klang s**

Unique sound experience for most diverse audio demands.

Full digital music variety
thanks to Internet streaming.


Sensual listening experience.
DAB+ and powerful sound.

Comfortable operation from anywhere.
With 3.2" display or app.

Even more music enjoyment.
Integrated CD drive. (klang s3 only)



Whether listening to the radio from international and local stations, streaming music services or playing playlists, the compact Loewe klang s1 and klang s3 internet radios with DAB/DAB+ tuner, USB-MP3 playback and 80/120 watts of total music power never fails to impress. The outstanding network and Bluetooth speakers as well as the latest state-of-the-art technology create a distinctive and captivating sound experience. Moreover, the extraordinary design of this luxurious sound classic blends seamlessly into an upscale living ambience and inspires discerning music lovers.



Loewe **radio.frequency**

Our anniversary sound miracle. Unique natural oak.

100 years Loewe.
100 years radio history.

Unique radio design with
natural oak inlays.

Independent audio enjoyment
with full 28 watts sound.

Easiest operation anywhere.
With up to 14 hours playtime.

Easy to operate
with 2,6" LCD display.

Alarm and
snooze function.



To mark the 100th anniversary of the founding of Radio Frequenz GmbH in Berlin by the Loewe brothers and as a reminder of their first radio, the legendary Loewe local receiver OE 333 with triple tube, the Loewe radio.frequency offers state-of-the-art technology and the simplest operation in the smallest space. The DAB+ radio offers a timeless design language with its selected materials such as the acoustic fabric specially developed by Loewe in the Loewe system colour basalt grey. With its natural oak made of Canadian oak, a unique design is established by the natural marmorisation of the wood. Independent radio or sound enjoyment anytime and anywhere with 28 watts sound. Thanks to the integrated alarm and snooze function, the radio is ideal for use as a convenient alarm clock.





Loewe bild i Loewe klang bar5 mr & klang sub5 Loewe klang mrl

Technical Data

Loewe iconic

	iconic v.65	iconic v.55	iconic i.65	iconic i.55
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	164 / 65 / 1	139 / 55 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	900 / 120°	900 / 120°	900 / 120°	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / ● / — / ●	● / ● / — / ●	● / — / ● / ●	● / — / ● / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●	● / ●
Reception				
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	● / ● / ● / ●	● / ● / ● / ●	● / — / — / ●	● / — / — / ●
Audio				
Output (watts sine / music) / driver (active + passive)	180 / 360 / 9	180 / 360 / 9	180 / 360 / 9	180 / 360 / 9
Acoustic speaker concept	klang bar3 mr	klang bar3 mr	klang bar3 mr	klang bar3 mr
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ● active	— / ● / — / ● active	— / ● / — / ● active	— / ● / — / ● active
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	via bild v: ● / ● / ● / — / —	via bild v: ● / ● / ● / — / —	via bild i: ● / ● / ● / ● / ●	via bild i: ● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	via bild v: ● / ● / ●	via bild v: ● / ● / ●	via bild i: ● / ● / —	via bild i: ● / ● / —
Individual bass and treble control / Loudness	via bild v: ● / ●	via bild v: ● / ●	via bild i: 7-Band EQ / —	via bild i: 7-Band EQ / —
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL5 / os6 / ●	SL5 / os6 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Vidaa app / my Loewe app (all: Android + iOS)	— / ●	— / ●	● / ●	● / ●
Alexa skills / Vidaa voice	● / —	● / —	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / ●	● / ●	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 2.000	● / ● / 2.000	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ^{3A} / ●	● ^{3A} / ●	● ^{3B} / ●	● ^{3B} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	● / ●	● / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	6.000	6.000	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV: Videotext	● / ● / ●	● / ● / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / ● / ● / ●	● / ● / ● / ●	● / — / — / —	● / — / — / —
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / ● / ●	1.000 / ● / ●	1.000 / — / ●	1.000 / — / ●
Loewe dr+: streaming server / client / follow-me	● / ● / ●	● / ● / ●	— / ● / —	—
Multi Recording / Radio Recording	● / ●	● / ●	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●	● / ●
Internet apps / internet browser / internet radio	● / ● / ● (incl. search)	● / ● / ● (incl. search)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / — / — / —	● / ● / — / — / —	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Connectivity and Interfaces				
HDMI	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI	4 x HDMI
ALLM / VRR / UHD 60 Hz	—	—	● / ● (FHD 60Hz) / ●	● / ● (FHD 60Hz) / ●
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / —	● / ● / ● / —	● / ● / ● / ●	● / ● / ● / ●
USB	3 (2 x USB 3.0)	3 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
Bluetooth / screen mirroring (Miracast) / AirPlay	● / ● / —	● / ● / —	● / ● / —	● / ● / —
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	● / ● / —	● / ● / —	● / ● / —	● / ● / —
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 2 / 2	1 / 2 / 2	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 / IR-Link ⁸ / MU motor control	● / ● / ● / ●	● / ● / ● / ●	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / —	● / ● / —	● / — / ●	● / — / ●
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●	●
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via bild v.65 dr+	via bild v.55 dr+	via bild i.65 dr+	via bild i.55 dr+
EPREL registration No.: https://eprel.ec.europa.eu/qr	via bild v.65 dr+	via bild v.55 dr+	via bild i.65 dr+	via bild i.55 dr+
Power switch / mains voltages AC	— / 220-240V, 50 / 60 Hz	— / 220-240V, 50 / 60 Hz	— / 220-240V, 50 / 60 Hz	— / 220-240V, 50 / 60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / —	● / ● / —	● / ● / —	● / ● / —
Dimensions				
Weight (approx. kg) excl. / incl. standard setup solution	n.a. / 82,2	n.a. / 66,8	n.a. / 81,8	n.a. / 65,7
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	152,3 x 113,7 x 31,8 (floor stand)	130,0 x 101,3 x 31,8 (floor stand)	152,3 x 113,7 x 31,8 (floor stand)	130,0 x 101,3 x 31,8 (floor stand)
Scope of Delivery				
Speaker	klang bar3 mr	klang bar3 mr	klang bar3 mr	klang bar3 mr
Setup Solution / rotate-able	floor stand iconic / fix	floor stand iconic / fix	floor stand iconic / fix	floor stand iconic / fix
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)
Manual / power cord	● / ● (3 m)	● / ● (3 m)	● / ● (3 m)	● / ● (3 m)
Others	multi power extension	multi power extension	multi power extension	multi power extension
Optional accessories				
Selection of recommended setup solutions and audio systems	klang sub5 klang mr5 klang mr3 klang mr1	klang sub5 klang mr5 klang mr3 klang mr1	klang sub5 klang mr5 klang mr3 klang mr1	klang sub5 klang mr5 klang mr3 klang mr1

● = included/installed — = not included / possible

¹⁾ according to panel spec typ. values @ HDR 10%

^{2A)} Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider.

^{3A)} de - en - fr - it - es - nl - cs - el - pl - hu - fi - sl - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S.

⁵⁾ Via home network and USB.

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

⁸⁾ Only in conjunction with adapter (to be ordered separately) and selected devices (RC5, 36 kHz)

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

Loewe bild s

	77 dr+
Image	
Screen resolution (pixels)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	195 / 77 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●
Reception	
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2A} / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	● / ●
Audio	
Output (watts sine / music) / driver (active + passive)	2 x 30 / 2 x 60 / 10
Acoustic speaker concept	closed bar + passive membranes
Magic moment / front firing / down firing / 2-channel crossover	● / ● / — / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / — / —
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / ●
Individual bass and treble control / Loudness	● / ●
Operation	
Loewe chassis / os / home screen (incl. favorites)	SL5 / os6 / ●
Vidaa app / my Loewe app (all: Android + iOS)	— / ●
Voice control by Alexa skills / Vidaa voice	● / —
Electronic Program Guide / EPG key word search	● / ●
Mediatext (HbbTV) / Teletext / page memory	● / ● / 2.000
Menu languages / Context related help	● ^{3A} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●
Instant Channel Zapping / Quick Start Mode	● / ●
Number of stations in channel list incl. AV and radio	6.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV: Videotext	● / ● / ●
Software update (via USB / Internet)	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / ● / ● / ●
Multimedia	
Loewe dr+: storage capacity (GB) / USB recording / timeshift	2.000 (SSD) / ● / ●
Loewe dr+: streaming server / client / follow-me	● / ● / ●
Multi Recording / Mobile Recording / Radio Recording	● / ● / ●
Music player / Photo player / Video player ⁵	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (incl. search)
YouTube / Amazon prime video / Netflix / Disney+	● / ● / — / —
Connectivity and Interfaces	
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / —
USB / Bluetooth / screen mirroring (Miracast)	3 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 2 / 2
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / ● / ● / ●
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / —
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●
Kensington anti theft lock	●
Energy	
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,779) / E (0,650)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1257180
Power switch / mains voltages AC	● / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / —
Energy consumption SDR / HDR (kWh/1000h)	117 / 108
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	39,3 / 41,5 (wall mount 7)
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	173.1 x 102.3 x 7,3
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	173.1 x 102.3 x 11,6 (wall mount 7)
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	173.1 x 108.0 x 39,6
VESA support	—
Scope of Delivery	
Speaker	klang bar s.77 (magic moment)
Setup Solution / rotate-able	wall mount WM7 / -
Remote control (incl. batteries)	Loewe assist graphite grey (2x AAA)
Manual / power cord	● / ● (2,5 m)
Others	Apple TV 4K
Optional accessories	
Selection of recommended setup solutions and audio systems	smart cover s.77 table stand motor s.77 floor stand motor s.77 floor stand motor v klang sub1

● = included/installed — = not included / possible

¹⁾ according to panel spec typ. values @ HDR 10%

^{2A)} Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider

^{3A)} de - en - fr - it - es - nl - cs - el - pl - hu - fi - sl - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

⁸⁾ Only in conjunction with adapter (to be ordered separately) and selected devices (RC5, 36 kHz)

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

Loewe bild v

	65 dr+	55 dr+	55 HD+	55
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	139 / 55 / 1	139 / 55 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	900 / 120°	900 / 120°	900 / 120°	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / ● / — / ●	● / ● / — / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●	● / ●
Reception				
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Audio				
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / — / —	● / ● / ● / — / —	● / ● / ● / — / —	● / ● / ● / — / —
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Individual bass and treble control / Loudness	● / ●	● / ●	● / ●	● / ●
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL5 / os6 / ●	SL5 / os6 / ●	SL5 / os6 / ●	SL5 / os6 / ●
VIDAA app / my Loewe app (all: Android + iOS)	— / ●	— / ●	— / ●	— / ●
Voice control by Alexa skills / Vidaa voice	● / —	● / —	● / —	● / —
Electronic Program Guide / EPG key word search	● / ●	● / ●	● / ●	● / ●
Mediatext (HbbTV) / Teletext / page memory	● / ● / 2.000	● / ● / 2.000	● / ● / 2.000	● / ● / 2.000
Menu languages / Context related help	● ^{3A} / ●	● ^{3A} / ●	● ^{3A} / ●	● ^{3A} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	● / ●	● / ●	● / ●	● / ●
Number of stations in channel list incl. AV and radio	6.000	6.000	6.000	6.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / ● / ●	1.000 / ● / ●	— / ● / ●	— / ● / ●
Loewe dr+: streaming server / client / follow-me	● / ● / ●	● / ● / ●	— / ● / ●	— / ● / ●
Multi Recording / Mobile Recording / Radio Recording	● / ● / ●	● / ● / ●	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (incl. search)	● / ● / ● (incl. search)	● / ● / ● (incl. search)	● / ● / ● (incl. search)
YouTube / Amazon prime video / Netflix / Disney+	● / ● / — / —	● / ● / — / —	● / ● / — / —	● / ● / — / —
Connectivity and Interfaces				
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / —	● / ● / ● / —	● / ● / ● / —	● / ● / ● / —
USB / Bluetooth / Screen Mirroring (Miracast)	3 (2 x USB 3.0) / ● / ●	3 (2 x USB 3.0) / ● / ●	3 (2 x USB 3.0) / ● / ●	3 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 2 / 2	1 / 2 / 2	1 / 2 / 2	1 / 2 / 2
Home Control: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Mini TOSLINK / Center in (via adapter) / Cube plug stereo	● / ● / —	● / ● / —	● / ● / —	● / ● / —
Audio out control: fix / variable / subwoofer (3.5mm jack)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●	●
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,868) / F (0,810)	G (0,974) / G (0,978)	G (0,974) / G (0,978)	G (0,974) / G (0,978)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1195816	1195930	1289440	1289436
Power switch / Mains voltages	● / 220-240V, 50 / 60 Hz	● / 220-240V, 50 / 60 Hz	● / 220-240V, 50 / 60 Hz	● / 220-240V, 50 / 60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / —	● / ● / —	● / ● / —	● / ● / —
Dimensions				
Weight (approx. kg) excl. / incl. standard setup solution	30,3 / 37,9	24,3 / 29,0	24,2 / 28,9	24,2 / 28,9
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	145,7 x 86,0 x 6,8	123,6 x 73,6 x 6,8	123,6 x 73,6 x 6,8	123,6 x 73,6 x 6,8
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	145,7 x 86,0 x 8,2	123,6 x 73,6 x 8,2	123,6 x 73,6 x 8,2	123,6 x 73,6 x 8,2
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	145,7 x 91,3 x 29,0	123,6 x 78,8 x 27,0	123,6 x 78,8 x 27,0	123,6 x 78,8 x 27,0
VESA support	300 x 300	300 x 300	300 x 300	300 x 300
Scope of Delivery				
Speaker	klang bar v (mounted)	klang bar v (mounted)	klang bar v (mounted)	klang bar v (mounted)
Setup Solution / rotate-able	table stand v basalt / ●	table stand v basalt / ●	table stand v basalt / ●	table stand v basalt / ●
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m)	/ ● (2,5 m)	/ ● (2,5 m)	/ ● (2,5 m)
Others	Fire TV 4K Max (DE only)	Fire TV 4K Max (DE only)	HD+ Modul (DE only)	Fire TV 4K Max (DE only)
Optional accessories				
Selection of recommended setup solutions and audio systems	Table stand motor s.77 + adapter *, floor stand motor s.77 + adapter *, floor stand motor v + adapter *			
	floor2ceiling stand, floor stand flex, floor stand universal wall mount slim 432, wall mount universal			
	* adapter bild v stand s			
	klang bar5 mr, klang sub1			

● = included/installed — = not included / possible

¹⁾ according to panel spec typ. values @ HDR 10%

^{2A)} Reception of DVB-T2 HD is available in selected countries but may be limited by individual regulations from the respective provider

^{3A)} de - en - fr - it - es - nl - cs - el - pl - hu - fi - sl - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ Incl. e.g.: eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

⁸⁾ Only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

Loewe bild v

	v.48 dr+ bronze	48 dr+	48
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	121 / 48 / 1	121 / 48 / 1	121 / 48 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	720 / 120°	720 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / ● / — / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●
Reception			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●	● ^{2A} / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	● / ● / ●	● / ● / ●	● / ● / ●
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / — / —	● / ● / ● / — / —	● / ● / ● / — / —
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / ●	● / ● / ●	● / ● / ●
Individual bass and treble control / Loudness	● / ●	● / ●	● / ●
Operation			
Loewe chassis / os / home screen (incl. favorites)	SL5 / os6 / ●	SL5 / os6 / ●	SL5 / os6 / ●
VIDAA app / my Loewe app (all: Android + iOS)	— / ●	— / ●	— / ●
Voice control by Alexa skills / VIDAA voice	● / —	● / —	● / —
Electronic Program Guide / EPG key word search	● / ●	● / ●	● / ●
Mediatext (HbbTV) / Teletext / page memory	● / ● / 2.000	● / ● / 2.000	● / ● / 2.000
Menu languages / Context related help	● ^{3A} / ●	● ^{3A} / ●	● ^{3A} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	● / ●	● / ●	● / ●
Number of stations in channel list incl. AV and radio	6.000	6.000	6.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / ● / ●	1.000 / ● / ●	— / ● / ●
Loewe dr+: streaming server / client / follow-me	● / ● / ●	● / ● / ●	— / ● / ●
Multi Recording / Mobile Recording / Radio Recording	● / ● / ●	● / ● / ●	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (incl. search)	● / ● / ● (inkl. Suche)	● / ● / ● (inkl. Suche)
YouTube / Amazon prime video / Netflix / Disney+	● / ● / — / —	● / ● / — / —	● / ● / — / —
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / —	● / ● / ● / —	● / ● / ● / —
USB / Bluetooth / screen mirroring (Miracast)	3 (2 x USB 3.0) / ● / ●	3 (2 x USB 3.0) / ● / ●	3 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 2 / 2	1 / 2 / 2	1 / 2 / 2
Home Control: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / —	● / ● / —	● / ● / —
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,963) / G (1,028)	G (0,963) / G (1,028)	G (0,963) / G (1,028)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1451828	1451828	1451843
Power switch / mains voltages AC	● / 220-240V, 50 / 60 Hz	● / 220-240V, 50 / 60 Hz	● / 220-240V, 50 / 60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / —	● / ● / —	● / ● / —
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	15,2 / 17,9	15,2 / 17,9	15,1 / 17,8
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	107,7 x 65,3 x 6,3	107,7 x 65,3 x 6,3	107,7 x 65,3 x 6,3
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	107,7 x 65,3 x 7,5	107,7 x 65,3 x 7,5	107,7 x 65,3 x 7,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	107,7 x 67,8 x 19,0	107,7 x 67,8 x 19,0	107,7 x 67,8 x 19,0
VESA support	300 x 300	300 x 300	300 x 300
Scope of Delivery			
Speaker	klang bar v bronze (mounted)	klang bar v (montiert)	klang bar v (montiert)
Setup Solution / rotate-able	table stand v bronze / ●	table stand v basalt / ●	table stand v basalt / ●
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m)	● / ● (2,5 m)	● / ● (2,5 m)
Others	fabric sleeve	Fire TV 4K Max (DE only)	Fire TV 4K Max (DE only)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex, floor stand universal, floor stand c		
	wall mount slim 432, wall mount universal		
	klang bar3 mr, klang sub1		

● = included/installed — = not included / possible

¹⁾ according to panel spec typ. values @ HDR 10%

^{2A)} Reception of DVB-T2 HD is available in selected countries but may be limited by individual regulations from the respective provider

^{3A)} de - en - fr - it - es - nl - cs - el - pl - hu - fi - sl - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ Incl. e.g.: eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

⁸⁾ Only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technische Daten

	65 dr+ & klang bar i	55 dr+ & klang bar i	48 dr+ & klang bar i
Bild			
Bildschirmauflösung (Pixel)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Displaytechnologie	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Bildschirmdiagonale (cm / inch) / Reaktionszeit (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel-Helligkeit ¹ (cd/m²) / Betrachtungswinkel (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD Scaling / Image+ Active / Adaptiver Kontrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-Dimmung Raum (OPC) / Umgebungslicht Anpassung	● / ●	● / ●	● / ●
Empfang			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB-Radio	— / — / ●	— / — / ●	— / — / ●
Ton			
Leistung (Watt Sinus / Musik) / Treiber (aktiv + passiv)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Akustisches Lautsprecherkonzept	klang bar i	klang bar i	klang bar i
Magic moment / nach vorne / unten gerichtet / 2-Kanal Weiche	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D Amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Getrennte Bass- und Höhenregelung / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Bedienung			
Loewe chassis / os / Home Screen (inkl. Favoriten)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (alle: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Sprachsteuerung mit Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Elektronischer Programmführer / EPG-Stichwortsuche	● / —	● / —	● / —
Mediatext (HbbTV) / Videotext / Seitenspeicher	● / ● / 792	● / ● / 792	● / ● / 792
Menü-Sprachen / Inhaltsbezogene Hilfe	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Kindersicherung / Abschaltautomatik / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Schnellstart-Modus	— / ●	— / ●	— / ●
Anzahl der Stationen in Senderlisten inkl. AV und Radio	10.000	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	— / — / ●	— / — / ●	— / — / ●
Software Update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
Multimedia			
Loewe dr+: Kapazität (GB) / USB-Recording / Timeshift	1.000 / — / ●	1.000 / — / ●	1.000 / — / ●
Loewe dr+: Streaming Server / Client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Musikplayer / Fotoplayer / Videoplayer ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (inkl. Ultra HD) / Bluetooth Musikplayer	● / ●	● / ●	● / ●
Internetapps / Internetbrowser / Internetradio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Anschlüsse und Schnittstellen			
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / Screen Mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN Netzwerkanschluss / WLAN (Wi-Fi) integriert	● / ●	● / ●	● / ●
Antenne IEC / Satellit F / CI+ 1.4 ECP zertifiziert ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home Automation: IP / RJ12 (RS232C) / IR Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / Center-In (via Adapter) / Würfelstecker Stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio-Out Einstellung: fix / variabel / Sub (3,5 mm Klinke)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington lock (Diebstahlsicherung)	●	●	●
Energie			
EU Energieeffizienzklasse: SDR (EEI) / HDR (EEI)	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
EPREL Registrierungs-Nummer: https://eprel.ec.europa.eu/qr	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
Netzschalter / Netzspannung AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (erhöhter Verbrauch)	● / ● / ●	● / ● / ●	● / ● / ●
Abmessungen			
Gewicht (ca. kg) ohne / inkl. Standard-Aufstelllösung	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
B* x H x T (ca. cm) ohne Aufstelllösung (* inkl. signature flag)	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
B* x H x T (ca. cm) inkl. wall mount slim (* inkl. signature flag)	146,0 x 86,8 x 8,4	123,6 x 74,4 x 8,4	107,7 x 65,4 x 8,5
B* x H x T (ca. cm) inkl. table stand (* inkl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
Lieferumfang			
Lautsprecher	klang bar i (separated)	klang bar i (separated)	klang bar i (separated)
Aufstelllösung / drehbar	table stand i / ●	table stand i / ●	table stand i / ●
Fernbedienung (inkl. Batterien)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Bedienungsanleitung / Netzkabel	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Optionales Zubehör			
Auswahl empfohlener Aufstelllösungen und Audiosysteme	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang sub1	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang sub1	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang sub1

- = verfügbar — = nicht verfügbar

^[1] entsprechend Panel Spezifiation typ. Wert @ HDR 10%

^[2] Empfang von DVB-T2 HD nur in ausgewählten Ländern

^[3] bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

^[4] AV-PIP nur in Kombination mit DVB-T/C/S möglich

^[5] Über Heimnetzwerk und USB

^[6] eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60Hz, 18 Gb/s

^[7] CI Plus (CI+) ist rückwärtskompatibel zu CI, Funktion hängt von Modulverfügbarkeit des Anbieters ab

Alle Produkt- und Firmennamen sind Marken™ oder eingetragene® Marken der jeweiligen Inhaber. Ihre Verwendung bedeutet nicht, dass sie mit diesen verbunden sind oder von ihnen unterstützt werden.

Technische Änderungen und Liefermöglichkeiten können ohne Vorankündigung vorgenommen werden. Das Produktportfolio kann je nach Land unterschiedlich sein und variieren. Serviceangebote werden individuell behandelt.

Technische Daten

	65 dr+	55 dr+	48 dr+
Bild			
Bildschirmauflösung (Pixel)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Displaytechnologie	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Bildschirmdiagonale (cm / inch) / Reaktionszeit (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel-Helligkeit ¹ (cd/m²) / Betrachtungswinkel (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD Scaling / Image+ Active / Adaptiver Kontrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-Dimmung Raum (OPC) / Umgebungslicht Anpassung	● / ●	● / ●	● / ●
Empfang			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB-Radio	— / — / ●	— / — / ●	— / — / ●
Ton			
Leistung (Watt Sinus / Musik) / Treiber (aktiv + passiv)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Akustisches Lautsprecherkonzept	Speaker box - bass reflex	Speaker box - bass reflex	Speaker box - bass reflex
Magic moment / nach vorne / unten gerichtet / 2-Kanal Weiche	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D Amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Getrennte Bass- und Höhenregelung / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Bedienung			
Loewe chassis / os / Home Screen (inkl. Favoriten)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (alle: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Sprachsteuerung mit Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Elektronischer Programmführer / EPG-Stichwortsuche	● / —	● / —	● / —
Mediatext (HbbTV) / Videotext / Seitenspeicher	● / ● / 792	● / ● / 792	● / ● / 792
Menü-Sprachen / Inhaltsbezogene Hilfe	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Kindersicherung / Abschaltautomatik / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Schnellstart-Modus	— / ●	— / ●	— / ●
Anzahl der Stationen in Senderlisten inkl. AV und Radio	10.000	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	— / — / ●	— / — / ●	— / — / ●
Software Update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
Multimedia			
Loewe dr+: Kapazität (GB) / USB-Recording / Timeshift	1.000 / — / ●	1.000 / — / ●	1.000 / — / ●
Loewe dr+: Streaming Server / Client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Musikplayer / Fotoplayer / Videoplayer ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (inkl. Ultra HD) / Bluetooth Musikplayer	● / ●	● / ●	● / ●
Internetapps / Internetbrowser / Internetradio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Anschlüsse und Schnittstellen			
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / Screen Mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN Netzwerkanschluss / WLAN (Wi-Fi) integriert	● / ●	● / ●	● / ●
Antenne IEC / Satellit F / CI+ 1.4 ECP zertifiziert ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home Automation: IP / RJ12 (RS232C) / IR Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / Center-In (via Adapter) / Würfelstecker Stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio-Out Einstellung: fix / variabel / Sub (3,5 mm Klinke)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington lock (Diebstahlsicherung)	●	●	●
Energie			
EU Energieeffizienzklasse: SDR (EEI) / HDR (EEI)	E (0,709) / E (0,608)	F (0,787) / E (0,709)	F (0,900) / F (0,775)
EPREL Registrierungs-Nummer: https://eprel.ec.europa.eu/qr	1364122	1429774	1301523
Netzschalter / Netzspannung AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (erhöhter Verbrauch)	● / ● / ●	● / ● / ●	● / ● / ●
Abmessungen			
Gewicht (ca. kg) ohne / inkl. Standard-Aufstelllösung	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
B* x H x T (ca. cm) ohne Aufstelllösung (* inkl. signature flag)	146,0 x 85,8 x 6,4	123,6 x 73,4 x 6,4	107,7 x 64,4 x 6,4
B* x H x T (ca. cm) inkl. wall mount slim (* inkl. signature flag)	146,0 x 85,8 x 8,4	123,6 x 73,4 x 8,4	107,7 x 64,4 x 8,5
B* x H x T (ca. cm) inkl. table stand (* inkl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
Lieferumfang			
Lautsprecher	invisible sound (separated)	invisible sound (separated)	invisible sound (separated)
Aufstelllösung / drehbar	table stand i / ●	table stand i / ●	table stand i / ●
Fernbedienung (inkl. Batterien)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Bedienungsanleitung / Netzkabel	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Optionales Zubehör			
Auswahl empfohlener Aufstelllösungen und Audiosysteme	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang bar i klang sub1	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang bar i klang sub1	floor2ceiling stand <p>floor stand flex</p> wall mount slim 432 wall mount universal klang bar3 mr klang bar i klang sub1

- = verfügbar — = nicht verfügbar

^[1] entsprechend Panel Spezifiation typ. Wert @ HDR 10%

^[2] Empfang von DVB-T2 HD nur in ausgewählten Ländern

^[3] bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

^[4] AV-PIP nur in Kombination mit DVB-T/C/S möglich

^[5] Über Heimnetzwerk und USB

^[6] eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60Hz, 18 Gb/s

^[7] CI Plus (CI+) ist rückwärtskompatibel zu CI, Funktion hängt von Modulverfügbarkeit des Anbieters ab

Alle Produkt- und Firmennamen sind Marken™ oder eingetragene® Marken der jeweiligen Inhaber. Ihre Verwendung bedeutet nicht, dass sie mit diesen verbunden sind oder von ihnen unterstützt werden. Technische Änderungen und Liefermöglichkeiten können ohne Vorankündigung vorgenommen werden. Das Produktportfolio kann je nach Land unterschiedlich sein und variieren. Serviceangebote werden individuell behandelt.

Technical Data

Loewe bild i & klang bar i

	65 dr+ & klang bar i	55 dr+ & klang bar i	48 dr+ & klang bar i
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (cd/m²) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●
Reception			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●	— / — / ●
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation			
Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / — / ●	1.000 / — / ●	1.000 / — / ●
Loewe dr+: streaming server / client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
EPREL registration No.: https://eprel.ec.europa.eu/qr	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	146,0 x 86,8 x 8,4	123,6 x 74,4 x 8,4	107,7 x 65,4 x 8,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
Scope of Delivery			
Speaker	klang bar i (separated)	klang bar i (separated)	klang bar i (separated)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang sub1</p>	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang sub1</p>	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang sub1</p>

● = available — = not available

¹⁾ according to panel spec typ. values @ HDR 10%

^{2B)} Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

^{3B)} bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

Loewe bild i

	65 dr+	55 dr+	48 dr+
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (cd/m²) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●
Reception			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●	— / — / ●
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	Speaker box - bass reflex	Speaker box - bass reflex	Speaker box - bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation			
Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / — / ●	1.000 / — / ●	1.000 / — / ●
Loewe dr+: streaming server / client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,709) / E (0,608)	F (0,787) / E (0,709)	F (0,900) / F (0,775)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1364122	1429774	1301523
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	146,0 x 85,8 x 6,4	123,6 x 73,4 x 6,4	107,7 x 64,4 x 6,4
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	146,0 x 85,8 x 8,4	123,6 x 73,4 x 8,4	107,7 x 64,4 x 8,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
Scope of Delivery			
Speaker	invisible sound (separated)	invisible sound (separated)	invisible sound (separated)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang bar5 mr</p> <p>klang bar3 mr</p> <p>klang bar i</p> <p>klang sub1</p>	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang bar5 mr</p> <p>klang bar3 mr</p> <p>klang bar i</p> <p>klang sub1</p>	floor2ceiling stand <p>floor stand flex</p> <p>wall mount slim 432</p> <p>wall mount universal</p> <p>klang bar3 mr</p> <p>klang bar i</p> <p>klang sub1</p>

● = available — = not available

¹⁾ according to panel spec typ. values @ HDR 10%

^{2B)} Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

^{3B)} bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

	43	32
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm/inch) / Response time (ms)	108 / 43 / 8	81 / 32 / 6,5
Panel luminance ¹ (cd/m²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	— / — / ● / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / — / ●	● / ● / — / —
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●
Reception		
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ²⁰ / ● / ● / —	● ²⁰ / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●
Audio		
Output (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / —	— / ● / — / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —
Operation		
Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / —
Electronic Program Guide / EPG key word search	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ³⁸ / ●	● ³⁸ / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV/Videotext	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —
Multimedia		
Loewe dr+: storage capacity (GB) / USB recording / timeshift	— / ● / ●	— / ● / ●
Loewe dr+: streaming server / client / follow-me	— / ● / —	— / ● / —
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+	● / ● / ● / ●	● / ● / ● / ●
Connectivity and Interfaces		
HDMI 2.0b / HDMI 2.1 ⁶	3 x HDMI 2.1	3 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	2 (1 x USB 3.0) / ● / ●	2 (1 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / — / —	● / — / —
Audio out control: fix / variable / sub (3,5 mm jack)	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,936) / G (1,424)	F (0,766) / G (1,064)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1288779	1387787
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●
Dimensions		
Weight (approx. kg) excl. / incl. standard setup solution	12,0 / 14,8	7,3 / 10,0
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	97,0 x 58,9 x 6,8	72,5 x 45,6 x 7,9
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	97,0 x 58,9 x 9,6	72,5 x 45,6 x 8,4
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	97,0 x 63,3 x 25,4	72,5 x 49,8 x 25,4
VESA support	300 x 300	100 x 100
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand c / ●	table stand c / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	● / ● (2 m)	● / ● (2 m)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand universal floor stand c wall mount slim 432 wall mount universal klang bar3 mr klang sub1	floor2ceiling stand floor stand c wall mount slim 221 wall mount universal klang sub1

● = included/installed — = not included / possible

¹⁾ according to panel spec typ. values @ HDR 10%

²⁰⁾ Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

³⁸⁾ bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

	bar5 mr	sub5
Audio		
Acoustic speaker concept	closed bar + klang sub5	closed + passive membranes
Channel configuration (speaker layout)	5.1.2 (surround)	0.1 (subwoofer)
Output (watts sine / music)	220 / 440	180 / 360
Driver (active + passive)	11	6 (2x 6" + 4x 6")
Orientation front / side / up / rear firing	● / ● / ● / —	radial (motion compensation)
2-channel crossover	● active	● low pass
Class-D amp	●	●
Frequency range (Hz)	60-20.000	35-150
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	● / ● / ● / ● / ● / ●	—
DTS HD / DTS:X	● / ●	—
Individual bass and treble control / Loudness	● (remote) / dynamic	● (gain adjustment) / —
Display		
Screen resolution (pixels)	5 x 16 segments	—
Display technology	White D-LED	—
Screen diagonal (cm/inch)	6 / 2,4	—
Operation		
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app	—
Voice control by Alexa skills	—	—
Software update (via USB / Internet)	● / ● (DTS Play-Fi)	—
Multimedia		
Music player	●	—
Bluetooth music player	●	—
FM / DAB+ / Internet radio	● (via DTS Play-Fi app)	—
DTS Play-Fi	●	—
Spotify Connect / Google Cast / Apple AirPlay	● / ● / ●	—
Multiroom audio support	●	● (via klang bar mr)
Multichannel home cinema support	● (5.1)	●
Connectivity and Interfaces		
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)	—
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	—
USB	1 x USB 2.0	—
Bluetooth	●	—
WLAN (Wi-Fi) integrated	●	—
Wireless Digital Audiolink (second generation)	●	●
Optical TOSLINK	●	—
AV receiver analog pre-amp out (5.1 Cinch)	—	—
Analogue audio in (3,5 mm jack)	● (line in)	—
Network		
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	—
WLAN (Wi-Fi) power (max. mW)	<100	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz	5725-5850 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	—
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	—
Bluetooth standard	4.2	—
Bluetooth power (max. mW)	<10	—
Bluetooth frequency range	2,4 GHz	—
Bluetooth protocols	A2DP SNK, AVRCP	—
Formats		
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby Digital Plus, Dolby Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi	—
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+	—
Energy		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,5 / 7	<0,5 / <0,5
Environment		
Ambient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		
Weight (approx. kg) excl. / incl. standard setup solution	6,5 + 8,8	8,8
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	120,0 x 71 x 16,0	38,0 x 21,4 x 38,0
Scope of Delivery		
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)	—
Manual / power cord	● / ●	● / ●
Others	HDMI cable	—
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand flex, spacer table stand v, spacer table stand v, wall mount klang bar, klang mr5, klang mr3, klang mr1, klang sub5	—

● = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical Data

Loewe klang

bar3 mr

Audio	
Acoustic speaker concept	closed bar incl. twin drive sub
Channel configuration (speaker layout)	3.1 (surround)
Output (watts sine / music)	180 / 360
Driver (active + passive)	9
Orientation front / side / up / rear firing	● / ● / — / —
2-channel crossover	● active
Class-D amp	●
Frequency range (Hz)	50-20.000
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	● / ● / ● / ● / ●
DTS HD / DTS:X	● / ●
Individual bass and treble control / Loudness	● (remote) / dynamic
Display	
Screen resolution (pixels)	5 x 16 segments
Display technology	White D-LED
Screen diagonal (cm/inch)	6 / 2,4
Operation	
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app
Voice control by Alexa skills	●
Software update (via USB / Internet)	● / ● (DTS Play-Fi)
Multimedia	
Music player	●
Bluetooth music player	●
FM / DAB+ / Internet radio	● (via DTS Play-Fi app)
DTS Play-Fi	●
Spotify Connect / Google Cast / Apple AirPlay	● / ● / ●
Multiroom audio support	●
Multichannel home cinema support	● (5.1)
Connectivity and Interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●
USB	1 x USB 2.0
Bluetooth	●
WLAN (Wi-Fi) integrated	●
Wireless Digital Audiolink (second generation)	●
Optical TOSLINK	●
AV receiver analog pre-amp out (5.1 Cinch)	●
Analogue audio in (3.5 mm jack)	● (line in)
Network	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0 + EDR
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Formats	
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Energy	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,5 / 6
Environment	
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	5,9
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	95,0 x 7,1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	● / ●
Others	HDMI cable
Optional accessories	
Selection of recommended setup solutions and audio systems	floor stand flex, spacer table stand v, spacer table stand v wall mount klang bar, klang mr5, klang mr3, klang mr1, klang sub5

● = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical Data

Loewe klang

sub1

Audio	
Acoustic speaker concept	closed + passive membranes
Channel configuration (speaker layout)	0.1 (subwoofer)
Output (watts sine / music)	80 / 160
Driver (active + passive)	6 (2x 4" + 4x 4")
Orientation front / side / up / rear firing	radial (motion compensation)
2-channel crossover	● low pass
Class-D amp	●
Frequency range (Hz)	40-100
Individual bass and treble control / Loudness	● (gain adjustment) / —
Multimedia	
Multiroom audio support	—
Multichannel home cinema support	● (stereo + sub)
Connectivity and Interfaces	
Bluetooth	● (aptX Low Latency)
Wireless Digital Audiolink (second generation)	—
Analogue audio in (3.5 mm jack)	● (line in)
Network	
WLAN (Wi-Fi) standard	5.0
WLAN (Wi-Fi) power (max. mW)	<10
WLAN (Wi-Fi) frequency range	2,4 GHz
WLAN (Wi-Fi) encryption	A2DP SNK, AVRCP
Energy	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,5 / <0,5
Environment	
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	4,6
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	28,7 x 15,8 x 28,7
Scope of Delivery	
Manual / power cord	● / ● + transmitter
Optional accessories	
Selection of recommended setup solutions and audio systems	bild v, bild i, bild c, We, SEE

● = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical Data

Loewe klang

	mr5	mr3	mr1
Audio			
Acoustic speaker concept	closed + passive membranes	closed + passive membranes	closed
Channel configuration (speaker layout)	1.0 (mono)	1.0 (mono)	1.0 (mono, rear surround)
Output (watts sine / music)	90 / 180	75 / 150	15 / 30
Driver (active + passive)	9 (3x 3/4", 3x 2,5", 1x 5" + 2x 5")	6 (3x 2", 1x 3,5" + 2x 3,5")	1 (1x 3")
Orientation front / side / up / rear firing	● / ● / — / ●	● / ● / — / ●	● / — / — / —
2-channel crossover	● active	● active	● active
Class-D amp	●	●	●
Frequency range (Hz)	35-20.000	40-20.000	55-20.000
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr	via klang bar mr	via klang bar mr
DTS HD / DTS:X	via klang bar mr	via klang bar mr	via klang bar mr
Individual bass and treble control / Loudness	● (remote) / dynamic	● (remote) / dynamic	● (remote) / dynamic
Display			
Screen resolution (pixels)	5x 1 dot + 1x line	5x 1 dot + 1x line	5x 1 dot + 1x line
Display technology	White LED + Color LED	White LED + Color LED	White LED + Color LED
Screen diagonal (cm/inch)	6 / 2,4	6 / 2,4	6 / 2,4
Operation			
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app	DTS Play-Fi, my Loewe app	DTS Play-Fi, my Loewe app
Voice control by Alexa skills	●	●	●
Software update (via USB / Internet)	● / ● (DTS Play-Fi)	● / ● (DTS Play-Fi)	● / ● (DTS Play-Fi)
Multimedia			
Music player	●	●	●
Bluetooth music player	●	●	●
FM / DAB+ / Internet radio	● (via DTS Play-Fi app)	● (via DTS Play-Fi app)	● (via DTS Play-Fi app)
DTS Play-Fi	●	●	●
Spotify Connect / Google Cast / Apple AirPlay	● / ● / ●	● / ● / ●	● / ● / ●
Multiroom audio support	●	●	●
Multichannel home cinema support	●	●	●
Connectivity and Interfaces			
USB	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)
Bluetooth	●	●	●
WLAN (Wi-Fi) integrated	●	●	●
Wireless Digital Audiolink (second generation)	●	●	●
Analogue audio in (3.5 mm jack)	●	●	●
Network			
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
WLAN (Wi-Fi) power (max. mW)	<100	<100	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz	2400-2483,5 / 5150-5725 MHz	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2	4.2
Bluetooth power (max. mW)	<10	<10	<10
Bluetooth frequency range	2,4 GHz	2,4 GHz	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Formats			
Supported audio formats	MP3, M4A, AAC, FLAC, WAC, AIFF	MP3, M4A, AAC, FLAC, WAC, AIFF	MP3, M4A, AAC, FLAC, WAC, AIFF
Energy			
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,3 / 4-7	<0,3 / 4-7	<0,3 / 4-7
Environment			
Ambient temperature while in operation	5-35° C	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%	20-80%
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	5,9	3,2	1,2
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	22,5 x 40,1 x 21,5	19,6 x 32,1 x 18,7	16,0 x 18,8 x 15,4
Scope of Delivery			
Manual / power cord	● / ●	● / ●	● / ●
Optional accessories			
Selection of recommended setup solutions and audio systems	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i

● = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical Data

Loewe klang

	klang s3	klang s1
Part number	60608D10 - Basalt grey, 60608S10 - Light grey	60607D10 - Basalt grey, 60607S10 - Light grey
Audio output power	AC 100 V – 240 V – 50/60 Hz	AC 100 V – 240 V – 50/60 Hz
Power supply	2 x 30W	2 x 20W
Power consumption in standby mode	<1,0W	<1,0W
DAB tuning range BAND III	174,928 MHz – 239,200 MHz	174,928 MHz – 239,200 MHz
UKW	87,50 MHz – 108,00 MHz	87,50 MHz – 108,00 MHz
WLAN supported Standards	35 Hz – 150 Hz	IEEE 802.11a/b/g/n
WLAN power/frequency range	Maximum power <100 mW bei 2412 - 2472 MHz Maximum power <100 mW bei 5180 - 5320 MHz Maximum power <100 mW bei 5500 - 5700 MHz	Maximum power <100 mW bei 2412 - 2472 MHz Maximum power <100 mW bei 5180 - 5320 MHz Maximum power <100 mW bei 5500 - 5700 MHz
WLAN supported encryption	WEP, WPA, WPA2 (PSK), WPS	WEP, WPA, WPA2 (PSK), WPS
WLAN supported streaming formats	MP3, AAC / AAC + (bis zu 48 kHz, 16 Bit)	MP3, AAC / AAC + (bis zu 48 kHz, 16 Bit)
Bluetooth version	V4.2	V4.2
Bluetooth power/frequency range	Maximum power <10 mW at 2402 - 2480 MHz	Maximum power <10 mW at 2402 - 2480 MHz
Bluetooth protocols	A2DP, AVRCP	A2DP, AVRCP
USB playable files	MP3 (Bit rates: 32 - 320 kBit/s)	MP3 (Bit rates: 32 - 320 kBit/s)
CD formats	—	CD-DA, CD-R, CD-RW, MP3; (nur 12-cm-Disc)
Device dimensions (W x H x D)	335 x 120 x 90 mm	460 x 160 x 90 mm
Device weight	3,1 kg	4,8 kg
Ambient temperature:	5° C – 35° C	5° C – 35° C

Technical Data

Loewe

	radio.frequency
Audio	
Acoustic speaker concept	closed + passive membranes
Channel configuration (speaker layout)	2.0 (stereo)
Output (watts sine / music)	14 / 28
Driver (active + passive)	2 (2x 2,5")
Orientation front / side / up / rear firing	● / — / — / —
2-channel crossover	●
Class-D amp	●
Frequency range (Hz)	80-20.000
Individual bass and treble control / Loudness	● (EQ settings)
Display	
Screen resolution (pixels)	multi segment
Display technology	LCD (dimmmable)
Screen diagonal (cm/inch)	7,0 / 2,7
Reception	
DAB reception band III (MHz) / EWF	174,9 - 239,2 / ●
UKW (analog FM radio) / RDS	87,5 - 108,0 / ●
Operation	
Smart apps (all: Android + iOS)	my Loewe app
Multimedia	
Bluetooth music player	●
FM / DAB+ / Internet radio	● / ● / —
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	●
Headphone out	●
Antenna IEC	● (fixed telescope)
Kensington anti theft lock	●
Network	
Bluetooth standard	5.0
Bluetooth power (max. mW)	<3
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Energy	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,75 / — (original power supply)
Mobility	
Battery type	7,4V / 2200mAh
Charging current	9V, 2A
Charging time	3h
Playing time	12-14h @ 60dB
Environment	
Ambient temperature while in operation	5-40° C
Relative humidity (non-condensing)	35-90%
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	1,2
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	21,1 x 13,2 x 6,8
Scope of Delivery	
Manual / power cord	● / USB-C cable (90 cm)
Others	USB-C power adapter (EU, UK, AUS)

● = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

100 years

1 9 2 3 - 2 0 2 3

LOEWE.

LOEWE.



Loewe Technology GmbH

Industriestraße 11
96317 Kronach
Germany

Subject to technical modifications, delivery options, errors, and price changes. Furthermore, additional service offerings will be provided and billed on an individual basis.

loewe.tv     

Loewe 08/2023
99.006.663